

Articles

- [A1] *Fabrication and characterization of gas detection microfluidic system*, Martini V., Bernardini S., Bendahan M., **Aguir K.**, Perrier P., Graur I., *Procedia Engineering*, Volume 5, pp 1188-1191 (2010), DOI: [10.1016/j.proeng.2010.09.324](https://doi.org/10.1016/j.proeng.2010.09.324)
- [A2] *Microstructure and electrical properties of RuO<sub>2</sub>-CeO<sub>2</sub> composite thin films*, P. Nowakowski, S. Villain, **K. Aguir**, J. Guérin, A. Kopia, J. Kusinski, F. Guinneton, J.-R. Gavarrí *Thin Solid Films*, Volume 518, Issue 10, 1 March 2010, Pages 2801-2807 ; DOI: [10.1016/j.tsf.2009.08.034](https://doi.org/10.1016/j.tsf.2009.08.034)
- [A3] *Investigation of solution-processed organic thin film transistors based on alpha,omega-hexyl-distyryl-bithiophene (DH-DS2T): growth and transport properties*, Didane Y., Diallo A. K., Florido T., Suzuki A., Yoshimoto N., Bernardini S., Ackermann J., Fages F., Brisset H., Bendahan M., **Aguir K.**, Videlot-Ackermann C., *Journal of Optoelectronics and Advanced Materials*, Volume: 12 Issue: 7 (2010), pp 1546-1551 ; ISSN: 1454-4164
- [A4] *All Solution processed flexible ammonia gas and light sensors based on  $\alpha$ - $\Omega$ -Hexyl Distyrylbithiophene films*, Florido T., Bendahan M., **Aguir K.**, Bernardini S., Martini C., Brisset H., Fages F., Videlot-Ackermann C., Ackermann J., *Sensors and Actuators B: vol 151* (2010), p 77-82, DOI: [10.1016/j.snb.2010.09.048](https://doi.org/10.1016/j.snb.2010.09.048)
- [A5] *A New Active Organic Component for Flexible Ammonia Gas Sensors*, Florido, S. Bernardini, M. Bendahan, **K. Aguir**, H. Brisset, C. Videlot-Ackermann, J. Ackermann, *Procedia Engineering* 25, (2011), pp 1069 – 1072 [doi : 10.1016/j.proeng.2011.12.263](https://doi.org/10.1016/j.proeng.2011.12.263)
- [A6] T. Contaret, T. Florido, J.-L. Seguin, **K. Aguir**, *A Physics-Based Noise Model for Metallic Oxide Gas Sensors Characterization*, *Procedia Engineering*, Vol. 25, (2011), pp 375-378 [doi : 10.1016/j.proeng.2011.12.093](https://doi.org/10.1016/j.proeng.2011.12.093)
- [A7] *Low Noise CMOS Chopper Amplifier for MEMS Gas Sensor*, Nebhen J., Meillère S., Seguin J-L., **Aguir K.**, Masmoudi M., *Lecture Notes in Computer Sciences*, Springer 2011, volume 6752/2011, pp. 366-373, 2011 ISBN: 978-1-4577-0304-1
- [A8] *Low Noise Micro-Power Chopper Amplifier for MEMS Gas Sensor*, Nebhen J., Meillère S., Seguin J-L., **Aguir K.**, Masmoudi M., Barthelemy H., *International Journal of Microelectronics and Computer Science*, Volume 2, No 4, pp. 146-155, ISSN: 2080-8755, 2011
- [A9] *Ab-initio study of oxygen point defects on tungsten trioxide surface*, C. Lambert-Mauriat; V. Oison; L. Saadi; **K. Aguir**, *Surface Science*, Vol. 606 – Issue: 1-2, (2012), pp 40-45; DOI: [10.1016/j.susc.2011.08.018](https://doi.org/10.1016/j.susc.2011.08.018)
- [A10] *Microfluidic gas sensor with integrated pumping system*, V. Martini, S. Bernardini, M. Bendahan, **K. Aguir**, P. Perrier, I. Graur, *Sensors and Actuators B* 170 (2012) 45– 50, doi:[10.1016/j.snb.2011.01.011](https://doi.org/10.1016/j.snb.2011.01.011)
- [A11] *Active layer size on WO<sub>3</sub> gas sensor sensitivity*, **Aguir K.**, Guérin J., Mliki N., Bendahan M., *Int. J. Nanotechnol.* vol 9, (2012), pp 471-479 DOI: [10.1504/IJNT.2012.045349](https://doi.org/10.1504/IJNT.2012.045349)
- [A12] *Towards solution-processed ambipolar organic thin film transistors based on a,w-hexyl-distyryl-bithiophene (DH-DS2T) and a fluorocarbon-substituted dicyanoperylene (PDIF-CN<sub>2</sub>)*, S. Nénon, A Kumagai, H. Brisset, Z. Chen, J. Ackermann, F. Fages, S. Bernardini, M. Bendahan, **K. Aguir**, N. Yoshimoto, C. Videlot-Ackermann, *accepted 2011 Journal of Optoelectronics and Advanced Materials*, Vol. 14, No. 1-2, Jan. – Feb. 2012, pp. 131-135
- [A13] *A low power consumption CMOS differential-ring VCO for a wireless sensor*, H. Thabet, S. Meillère, M. Masmoudi, J.L. Seguin, **K. Aguir** and H. Barthélemy, *Analog Integrated Circuits and Signal Processing* (December 2012), 73 (3), pg. 731-740
- [A14] *Ozone gas sensor based on nanocrystalline SrTi<sub>1-x</sub>FexO<sub>3</sub> thin films*, V. R. Mastelara, S. C. Zilio, L. F. da Silva, P. I. Pelissari, M. I.B. Bernardia, J. Guerin, **K. Aguir**, *Sensors and Actuators B* 181 (2013) 919– 924

- [A15] Temperature Compensated CMOS Ring VCO for MEMS gas sensor, J. Nebhen, S. Meillère, M. Masmoudi, J.-L. Seguin, H. Barthelemy, **K. Aguir**, *Analog Integrated Circuits and Signal Processing*, pp1-6, June 2013, DOI 10.1007/s10470-013-0095-x
- [A16] A Temperature Compensated CMOS Ring Oscillator for Wireless Sensing Applications, J. Nebhen, S. Meillère, M. Masmoudi, J.-L. Seguin, H. Barthelemy, **K. Aguir**, *Journal of Signal Processing Systems*, pp1-6, June 2013, DOI 10.1007/s11265-013-0794-7
- [A17] Modeling of a p-type resistive gas sensor in the presence of a reducing gas, A. Bejaoui, J. Guerin, **K. Aguir**, *Sensors and Actuators B: Chemical*, Volume 181, May 2013, Pages 340-347 [doi: 10.1016/j.snb.2013.01.018](https://doi.org/10.1016/j.snb.2013.01.018)
- [A18] Physical-based Characterization of Noise Responses in Metal-Oxide Gas Sensors, T. Contaret, J.-L. Seguin and **K. Aguir**, *IEEE Sensors Journal*, 13 (3), 980-986 2013 [doi 10.1109/JSEN.2012.2227707](https://doi.org/10.1109/JSEN.2012.2227707)
- [A19] Ozone gas sensor based on nanocrystalline SrTi<sub>1-x</sub>FexO<sub>3</sub> thin films, V. R. Mastelaro, S. C. Zílio, L. F. da Silva, P. I. Pelissari, M. I. B. Bernardi, J. Guerin, **K. Aguir**, *Sensors and Actuators B: Chemical* Volume 181, May 2013, Pages 919–924, [doi : 10.1016/j.snb.2013.02.068](https://doi.org/10.1016/j.snb.2013.02.068)
- [A20] Carbon nanotubes functionalized by nanoparticles of platinum, S. Capula-Colindres, **K. Aguir**, F. Cervantes-Sodi, L.A. Villa-Vargas, Vicente Garibay-Febles, *Materials Science Forum*, (Volume 793), pp- 45-50, 2014 DOI: 10.4028/www.scientific.net/MSF.793.45
- [A21] Synthesis of pure Cu<sub>2</sub>O thin layers controlled by in-situ conductivity measurements, A. Labidi, H. Ouali, A. Bejaoui, T. Wood, C. Lambert-Mauriat, M. Maaref, **K. Aguir**, *Ceramics International*, [Volume 40, Issue 6](https://doi.org/10.1016/j.ceramint.2013.12.130), July 2014, Pages 7851–7856 DOI: 10.1016/j.ceramint.2013.12.130
- [A22] A novel ozone gas sensor based on one-dimensional (1D)  $\alpha$ -Ag<sub>2</sub>WO<sub>4</sub> nanostructure, L. F. da Silva, A. C. Catto, W. Avansi Jr., L. S. Cavalcante, J. Andres, **K. Aguir**, V. R. Mastelaro and E. Longo, *Nanoscale*, Accepted Manuscript First published online 29 Jan 2014 **DOI:** 10.1039/C3NR05837A
- [A23] Ammonia detection by a novel Pyrex microsystem based on thermal creep phenomenon, V. Martini-Laithier, I. Graur, S. Bernardini, **K. Aguir**, P. Perrier, M. Bendahan, *Sensors and Actuators B* 192 (2014) 714– 719 [Doi :10.1016/j.snb.2013.10.120](https://doi.org/10.1016/j.snb.2013.10.120)
- [A24] Ozone sensing based on Palladium decorated Carbon Nanotubes, S. Capula, K. Aguir, F. Cervantes, L. Villa, V. Garibay, J. Moncayo, *Sensors* **2014**, 14(4), 6806-6818; [doi:10.3390/s140406806](https://doi.org/10.3390/s140406806)
- [A25] Theoretical and experimental study of the response of CuO gas sensor under ozone, A. Bejaoui, J. Guerin, J.A. Zapien, **K. Aguir**, *Sensors and Actuators B: Chemical*, Volume 190, January 2014, Pages 8–15 [doi:/10.1016/j.snb.2013.06.084](https://doi.org/10.1016/j.snb.2013.06.084)
- [A26] F. Piquemal, **K. Aguir**, D. Bernard, V. Capronnier, J. Carimalo, D. Chambonnet, Y. De Wilde, S. Ducourtieux, G. Favre, N. Feltn, B. Gautier, P. Gournay, P. Lambert, A. Levenson, G. Louarn, T. Macé, J.M. Moschetta, B. Poyet, *Les premières années du club nanoMétrologie, Matériaux & Techniques*, Vol. 101, No. 7 (2013)
- [A27] B. Gautier, **K. Aguir**, *Les mesures de faibles courants à l'échelle nanométrique : quels obstacles vers une mesure de qualité métrologique ?*, *Spectra ANALYSE* n° 293 • Septembre - Octobre 2013
- [A28] J. Nebhen, S. Meillere, M. Masmoudi, JL Seguin, H. Barthelemy and K. Aguir, *A Temperature Compensated CMOS Ring Oscillator for Wireless Sensing Applications, Journal of Signal Processing Systems For Signal Image And Video Technology* Volume: 75 Issue: 1 Pages: 47-54 Published: APR 2014

- [C1] *Fabrication and Characterization of Gas detection Microfluidic System*, V. Martini, S. Bernardini, M. Bendahan, **K. Aguir**, P. Perrier, I. Graur, *EUROSENSORS XXIV, Proc. Eurosensors XXIV, September 5-8, 2010, Linz, Austria*
- [C2] *Gas sensing properties of SrTi<sub>1-x</sub>FexO<sub>3</sub> thin films*, Valmor R.M., Zilio S.C., **Aguir K.**, *Symposium F at the X Brazilian MRS Meeting 2011, Gramado, Brazil, September 25-29th, 2011.*
- [C3] *Active Inks based on hybrid semiconductor nanoparticles for printed electronics and photovoltaics*, I Shupyk, Y Didane, G Poize, S Bernardini, M Bendahan, **K Aguir**, J Mawyin, C Martini, E Shilova, F Fages, J Ackermann, *MRS 2011 / Boston*
- [C4] *A New Active Organic Component for Flexible Ammonia Gas Sensors*, T.Fiorido, S.Bernardini, M.Bendahan\*, K.Aguir, H.Brisset, C.Videlot-Ackermann, J.Ackermann, *Eurosensors XXV, September 4-7, 2011, Athens, Greece*
- [C5] *Organic flexible sensors for gas, light and temperature applications*, S. Bernardini, M. Bendahan, T. Fiorido, **K. Aguir**, J. Ackermann, C.Videlot-Ackermann, *Swiss-@print Conference, First Swiss conference on printed electronics and functional materials, Basel, Switzerland December 1-2 2011*
- [C6] *Low Noise CMOS Chopper Amplifier for MEMS Gas Sensor*, Nebhen J., Meillère S., Seguin J-L., **Aguir K.**, Masmoudi M., *IEEE International Conference on Autonomous and Intelligent Systems (AIS), Burnaby, BC, Canada, 2011*
- [C7] *Low Noise Micro-Power Chopper Amplifier for MEMS Gas Sensor*, Nebhen J., Meillère S., Seguin J-L., **Aguir K.**, Masmoudi M., Barthelemy H., *18th IEEE International Conference Mixed Design of Integrated Circuits and Systems, Poland, 16-18 June, 2011.*
- [C8] *Physical-based Characterization of Low Frequency Responses in Metal-Oxide Gas Sensors*, T. Contaret, J.L. Seguin and **K. Aguir**, *IEEE Sensors 2011 Conference, Limerick, Ireland, 28-31 October.*
- [C9] *Design of A CMOS Ring VCO with positive feedback for a Wireless sensor* H. Thabet, S. Meillère, M. Masmoudi, J.L. Seguin, **K. Aguir** and H. Barthelemy, *9th IEEE International NEWCAS Conference, on June 26-29 2011, Bordeaux, France.*
- [C10] *A 250  $\mu$ W 0.194 nV/rtHz Chopper-Stabilized Instrumentation Amplifier for MEMS Gas Sensor*, Nebhen J., Meillère S., Seguin J-L., **Aguir K.**, Masmoudi M., Barthelemy H., *7th IEEE International Conference on Design and Technology of Integrated Systems (IEEE – DTIS), Gammarth, Tunisia, 16-18 May, 2012*
- [C11] *Combiners based on CMOS inverters and application in Wireless RF transmitter*, H. Thabet, Meillère S., Seguin J-L., **Aguir K.**, Masmoudi M., Barthelemy H., *7th IEEE International Conference on Design and Technology of Integrated Systems (IEEE – DTIS), Gammarth, Tunisia, 16-18 May, 2012*
- [C12] *A Temperature Compensated CMOS Ring Oscillator For Wireless Sensing Applications*, Nebhen J., Meillère S., Seguin J-L., **Aguir K.**, Masmoudi M., Barthelemy H., *10th IEEE International NEWCAS Conference, Montréal, Canada, 17-20 June, 2012.*
- [C13] *Nebhen. J, Meillere. S, Seguin. J-L, **Aguir. K**, Masmoudi. M, Barthelemy., 8th IEEE Conference on Ph.D. Research in Microelectronics & Electronics, Aachen, Germany, 12 - 15 June, 2012*
- [C14] *Design of CMOS VCO and Combiner used in RF Transmitter for Wireless sensors*, H. Thabet, S. Meillère, M. Masmoudi, J-L. Seguin, H. Barthelemy et K. Aguir, *8th IEEE Conference on Ph.D. Research in Microelectronics and Electronics (PRIME), Aachen, Germany, 12 -15 June, 2012. (ISBN: 978-3-8007-3442-9).*
- [C15] *Increasing the sensitivity and selectivity of metal oxide gas sensors by controlling the sensitive layer polarization*, Dufour N., Veyrac Y., Menini P., Blanc F., Talhi Ch., Franc B., Ganibal Ch., Wartelle C., **Aguir K.**, *IEEE Sensors 2012, 29-31 Oct. 2012, Taipei, Taiwan*
- [C16] *Thermal creep study in a gas detection microsystem*, V. Laithier, I. Graur, S. Bernardini, M. Bendahan, K. Aguir, P. Perrier. *Proceedings IMCS 2012, p 1236 - 1239; doi 10.5162/IMCS2012/P1.9.25*

- [C17] *Tuning the Bias Sensing Layer: A New Way to Greatly Improve Metal-Oxide Gas Sensors Selectivity*, N. Dufour, A. Chapelle, C. Talhi, F. Blanc, B. Franc, **K. Aguir**, 7th International Conference on Sensing Technology (ICST 2013), December 3-5, 2013, Wellington, New Zealand.
- [C18] *Response Enhancement of WO<sub>3</sub> Gas Sensors by Metallic Nanograins*, M. Othman, P. Ménini, W. Belkacem, D. Lollman, N. Mliki, **K. Aguir**, IEEE Sensors 2013, Nov. 3-6 2013, Boston, USA
- [C19] *Adsorption-Desorption noise as a Selective Detection Tool for Metal-Oxide Gas Microsensors*, T. Contaret, J.-L. Seguin, P. Menini and K. Aguir, 22th International Conference on Noise and Fluctuations (ICNF 2013), June 24-28 2013, Montpellier, France proceedings [doi 10.1109/ICNF.2013.6578940](https://doi.org/10.1109/ICNF.2013.6578940)
- [C20] *DH-Ds2T flexible gas sensor aging behaviour*, T. Fiorido, S. Bernardini, M. Bendahan, K. Aguir, H. Brisset, C. Videlot-Ackermann, J. Ackermann, Swiss-e-print CONFERENCE, second Swiss conference on printed electronics and functional materials, Basel, Switzerland November 2013, p15
- [C21] *The effect of morphologies in the ozone gas sensing performance of ZnO samples*, Luís F. da Silva, Ariadne C. Catto, Valmor R. Mastelaro, **Khalifa Aguir**, Elson Longo and Caue Ribeiro, IMCS 2014, Argentine
- [C22] *Ozone gas sensor based on ZnO nanorods film obtained via hydrothermal method*, A. C. Catto, L. F. da Silva, C. A. Escanhoela Jr, S. Bernardini, **K. Aguir**, V. R. Mastelaro, IMCS 2014, Argentine
- [C23] *Ozone gas sensor based on ZnO nanorods film obtained via hydrothermal method*, A. C. Catto, L. F. da Silva, C. A. Escanhoela Jr, V. R. Mastelaro, S. Bernardini, **K. Aguir**, EMRS 2014, Lille France
- [C24] *Recognition of O<sub>3</sub> concentrarion using WO<sub>3</sub> gas sensor and principal component analysis*, Faleh R, Othman M, Kachouri A, **Aguir K**, Advanced technologies for signal and image processing (ATSIP), 2014 p 322-327
- [C25] *Fabrication and characterization of fluidic Microsystems for gas detection*, **K. Aguir**, V. Martini, M. Bendahan, S. Bernardini, IBERMAN-CMC2, 25-26 nov Barcelone 2010
- [C26] *Remote leak detection and fast localization development for fusion machines*, J-C. Hatchressian, **K. Aguir**, Bruno V., M. Chantant, Au. Durocher, L. Gargiulo, T. Gherman, M. Houry, R. Le D. Mouyon, JVC-14/EVC-12/AMDVG-11/CroSloVM-19 conference, 2012.
- [C27] *Synthesis and Characterization of ZnO Nanostructures: Application as gas sensors*, A. C. Catto, L. F. da Silva, V. Laithier, K. Aguir, V. R. Mastelaro, symposium C, XII Meeting of SBPMat 2013
- [C28] *Nanocrystalline SrTi<sub>1-x</sub>Fe<sub>x</sub>O<sub>3</sub> films: ozone and nitrogen dioxide sensing properties*, C. R. Oliveira, V. R. Mastelaro, K. Aguir, S. C. Zilio, L. F. da Silva, M. I. Basso Bernardi, E. Longo, symposium C, XII Meeting of SBPMat 2013
- [C29] *Carbon nanotubes functionalized by nanoparticles of platinum*, S. C. Colindres, XXII International Materials Research Congress, August 11-15, 2013 Cancun Quintana Roo México